

Product Catalog 2023

intexmillwork.com

INTEX Millwork Solutions PRODUCT CATALOG

Understanding Icons & Page Types



SECTION INTRO PAGES:

A high-level break down of the standard offerings for our core products - most affordable, mid-grade and premium, followed by a custom option.



HOW TO ORDER PAGES:

A handy checklist with easy-tofollow steps to help guide you through the ordering process.



INTEX

MILLWORK SOLUTIONS

Shows lowest to highest price point.

 $\times \times \times \times$ **INSTALL KEY:**

Shows range from DIY-friendly to craftsman level installation.

SECTION 01: RAILING SYSTEMS

How to Order Extruded Rail Kits	5
Liberty Rail	. 6
Hampton Rail	. 8
Providence Rail	10
Dartmouth Rail	12
Nautilus Custom Rail	14

SECTION 02: RAIL UPGRADES page 16 🦯

Decorative Panels	16
Radius Rail	20
Gates	21
Black Baluster	22
Drink Rail	23
3-Line & Mahogany Rail	24
Glass Infills	25
Louver Infill & Accessories	26
Horizontal Balusters	27

SECTION 03: NEWEL WRAPS page 29 /

How to Order Newel Wraps.......31 32 Structural Post..... Fabricated Newels 33 34 Lighted Newel Caps Millwork Newel Wraps Millwork Newel Caps

SECTION 04: COLUMN WRAPS page 38 🖊

How to Order Column Wraps	39
Knocked Down Easy Wraps	40
Assembled Easy Wraps	41
Millwork Column Wraps	42
Parametric Ordering	43
Custom Column Wraps	44

SECTION 05: PERGOLA SYSTEMS page 45 🦯

How to Order Pergo	olas	
Classic Pergolas		48
Deluxe Pergolas		49
Premium Pergolas		50
Custom Pergolas		51
Trellis Systems		54

SECTION 06: MILLWORK & MORE DOGO 56

hage of	
Estate Fence	57
Shower Enclosures	58
Window Boxes & More .	59
Shutters	60
Hollow Brackets & Rafte	er Tails 62
Additional Applications.	64
Mouldings, Trim, & More	e 66
For the Architect	











RS60 LIBERTY EXTRUDED RAIL

Easy installation similar to routed vinyl rail, with the fit and finish of traditional wood rail.



Rated for 10ft residential & commercial level spans Rated for 10ft residential stair spans Rated for 8ft commercial stair spans

1-1/4" Square-Edge, Hollow Balusters

PRICE RANGE: s s s s

INSTALLATION:

RS40 HAMPTON EXTRUDED RAIL & RS70 PROVIDENCE EXTRUDED RAIL

Screw-together system that installs faster and easier than comparable composite rail, with the fit and finish of traditional wood rail.



Rated for 10ft residential & commercial level spans Rated for 8ft residential & commercial stair spans

1-1/4" Square-Edge, Solid Balusters

PRICE RANGE: <u>ă ă ă ă</u>

PRICE RANGE:



RS35 DARTMOUTH EXTRUDED RAIL

Screw-together system with all the value of Hampton Rail, at a larger scale - perfect for commercial & large-scale residential projects.



Rated for 12ft residential & commercial level spans Rated for 8ft residential & commercial stair spans

1-1/2" Square-Edge, Solid Balusters







Custom milled railing, designed to your exact specifications. Renders custom wood rail obsolete.



Rated for 10ft residential & commercial level spans Rated for 8ft residential & commercial stair spans

1-1/2" - 5" Solid Standard or Custom Balusters







intexmillwork.com 4

Common Features EXTRUDED RAIL

Nothing adds distinction and definition to homes and outdoor living spaces like a stylish exterior railing. Both beautiful and functional, a deck or exterior railing can be stunningly elegant, classically simple or designed as a wrap-around porch with real curb appeal. Cellular PVC railings are a great choice for your railing system.

ALL EXTRUDED INTEX RAILS:

- Matte finish 100% Cellular PVC with aluminumreinforced core
- Hidden Stainless Steel fasteners
- Square-edge balusters and square-edge posts
- Compatible with 5" standard Newel Wrap with 6", 8", 10", and 12" available as upgrades
- Independent lab tested and certified with Code Compliance Research Report (CCRR)
- Low maintenance and easy to clean
- Multiple unique upgrades available for all INTEX Rail System to set your project apart!
- Do not require paint, but can be painted with a light reflective value (LRV) of 55 or greater



Common Upgrades for Extruded Kits



Additional upgrades available for specific Extruded Rail Systems. Upgrades start on page 16.

How to Order EXTRUDED RAIL KITS

STEP 1

Select a Structural Post

- INTEX Structural Post Mount
 - Wood Mount Hardware
 - Concrete Mount Hardware
- Pressure Treated 4x4
- Pressure Treated 6x6

STEP 4

Select a Rail Profile



RS40 Hampton Rail



RS70 Providence Rail

Bottom Rai

Rottom Rail



RS35400





STEP 2

Select a Newel Wrap Size & Style

NEWEL5-EX
Fits 4 x 4 Or Structural Post Moun

 NEWEL5

 Fits 4 x 4 Or Structural Post Mount

NEWEL6.5 Fits 4 x 4, 6 x 6, Or Structural Post

STEP 5

Select a Rail Height

36" Rail Height



STEP 3

Select a Style & Size for Newel Cap + Base Trim

Injection Molded Cap & Base				
	IMPC5		IMTR5	
Cellu	ar PVC Caps	& Bas	ies	
	NCFLAT		NCPYRAMID	
	NCHAR5 Upgraded Cap	Styles	NBTR See Page 36	

STEP 6

Select Desired Upgrades (If Any)

- Decorative Panels
- Radius Bend(s)
- Single Gates
- Double Gates
- Black, Round Aluminum Balusters*
- Drink Rail
- 3-Line Rail*
- FSC Mahogany Top Cap*
- Glass Balusters
- Glass Panels*
- Louver Infill*
- Horizontal Balusters*
- Lighted Newel Caps

Rail Upgrades, *Including Availability By Rail Line, Start on Page 16

Liberty RS60 EXTRUDED RAIL

Unique Routed Rail System That Saves on Labor and Material Costs!



UNIQUE LIBERTY RAIL FEATURES

- Pre-routed for easy installation save on labor!
- Our 2 ½" RS60275 profile is IRC Code R311.7.8.3 Compliant for residential stair graspability
- Standard kits ship with hollow 1 ¼" square-edge balusters, which reduce material costs (available for 6', 8', & 10' level & stair spans)
- New upgrade Black, Round Aluminum Balusters!

PATENTED RACKING STAIR SYSTEM

Pre-routed for easy assembly with an innovative Racking Stair detail that accommodates 18° to 40° Rake Angle.

LONGER, CODE COMPLIANT SPANS

Meets International Residential Code (IRC) for spans up to 10 feet on both level and stair rail.

POPULAR UPGRADES FOR LIBERTY:





Black Balusters/Lighted Caps Radius Rail Details For All Available Rail Upgrades Start On Page 16



BARRARE



RS60 Liberty Kits	6' Length	8' Length	10' Length	12' Length
36" Height	~	~	~	×
42" Height	~	~	~	×
Stair Application	~	~	~	×
-	- 31/2			







Graspable Flat Top

2-3/4" Liberty is our simple, beverage-friendly profile. This is a popular profile for both level and stair applications.







GET AN INSTANT QUOTE! INTEXMILLWORK.COM

LIBERTY RS60350

Flat Top with Character

3-1/2" Liberty is our decorative, beverage-friendly profile. This profile is predominantly used for level rail, in conjunction with 2-3/4" profile on stair applications.

PRICE RANGE: 5 5 5

INSTALLATION: 🔀 💥 💥 💥



Hampton RS40 EXTRUDED RAIL

An Economical Rail Solution with **Performance Superior to Composite Railing**



UNIQUE HAMPTON RAIL FEATURES

- Standard kits ship with solid 1 ¼" square-edge balusters
- FSC Certified Mahogany Cap upgrade available for both hampton profiles!

RAIL ASSEMBLY JIG

Our reusable rail assembly jig is designed specifically to help reduce installation times and labor cost. The Assembly Jig makes it easier to align, center and space balusters.

LONGER, CODE COMPLIANT SPANS

Meets commercial requirements of International Building Code (IBC) and International Residential Code (IRC) for level spans up to 10 feet and stair spans up to 8 feet.

POPULAR UPGRADES FOR HAMPTON





Radius Rail 3-Line Rail Details For All Available Rail Upgrades Start On Page 16

Decorative Panel

To a mark





RS40 Hampton Kits	6' Length	8' Length	10' Length	12' Length
36" Height	 ✓ 	~	 	×
42" Height	~	~	~	×
Stair Application	~	~	×	×





HAMPTON RS40350F

Beverage Friendly Top

Hampton Flat is our most popular profile in a beverage-friendly detail. This profile is available as our standard Cellular PVC flat profile or a Mahogany flat profile upgrade.

Installation:







GET AN INSTANT QUOTE! INTEXMILLWORK.COM

HAMPTON RS40350P

Traditional Rail Style

Our Peaked Hampton profile brings an added touch of historic detail with its rounded design. This profile is available as our standard Cellular PVC peaked profile or a Mahogany peaked profile upgrade.





Providence RS70 EXTRUDED RAIL

Durability That Far Surpasses Wood and Other Traditional Materials!



UNIQUE PROVIDENCE RAIL FEATURES

- Commercially code approved for 10' level spans
- Standard kits ship with solid 1 ½" square-edge balusters

LONGER, CODE COMPLIANT SPANS

Meets commercial requirements of International Building Code (IBC) and International Residential Code (IRC) for level spans up to 10 feet and stair spans up to 8 feet.



POPULAR UPGRADES FOR PROVIDENCE:





Radius Rail 3-Line Rail Details For All Available Rail Upgrades Start On Page 16



Length	10' Length	12' Length
 Image: A second s	~	×
~	~	×
~	×	×

Dartmouth RS35 **EXTRUDED RAIL**

A Classic and Elegant Rail Profile with Modern Characteristics



UNIQUE DARTMOUTH RAIL FEATURES

- Commercially code approved for 12' spans with heavy-duty aluminum
- Standard kits ship with solid 1 1/2" squareedge balusters

RAIL ASSEMBLY JIG

Our reusable rail assembly jig is designed specifically to help reduce installation times and labor cost. The Assembly Jig makes it easier to align, center and space balusters.

LONGER, CODE COMPLIANT SPANS

Meets commercial requirements of International Building Code (IBC) and International Residential Code (IRC) for level spans up to 12 feet and stair spans up to 8 feet.

POPULAR UPGRADES FOR DARTN





Radius Rail Glass Panels Details For All Available Rail Upgrades Start On Page 16





RS35 Dartmouth Kits	6' Length	8' Length	10' Length	12' Length
36" Height	~	~	~	
42" Height	~	~	~	~
Stair Application	~	 	×	×





DARTMOUTH RS35350

Reinforced Super Strength

Our Dartmouth Flat profile combines a beverage friendly rail with incredible strength, suitable for residential or commercial projects.









GET AN INSTANT QUOTE! INTEXMILLWORK.COM

DARTMOUTH RS35400

Our Most Robust Profile

Our Dartmouth Peaked profile was designed with traditional wood and historical charm in mind. Enjoy these characteristics without the rot or warp of wood!

PRICE RANGE: 5 5

INSTALLATION: 🔀 🄀 💥 💥



Nautilus **MILLED RAIL**

How to Order Nautilus Custom Milled Rail

Our premier railing system built by craftsmen just like a wood rail would have been made years ago. The components are milled, assembled, hand sanded and then primed, so they are ready for the finish coat of your choice.

- 5", 6", 7" and 8" standard rail widths
- Custom profiles available
- Spans up to 10' for IBC level application
- Spans up to 8' for IBC stair application
- Gooseneck available for RS50500
- Square, Chamfered, or Turned Balusters available in multiple sizes
- Painting required; paint must be light reflective value (LRV) of 55 or greater

STEP 3

Select a Newel Cap Style

Non-Skirted Newel Cap

paneled newels

Skirted Newel Cap

newels

Fits all flush and directional

Fits all flush and panel 4-side

STEP 6

Select a Structural Post

STEP 1

- INTEX Structural Post Mount Wood Mount Hardware Concrete Mount Hardware
- Pressure Treated 4x4
- Pressure Treated 6x6

STEP 4

Select a Rail Profile

- Nautilus RS10500
- Nautilus RS50500
- Nautilus RS10600
- Nautilus RS20700
- Nautilus RS20800
- **Full Decorative Panel**

NAUTILUS BALUSTERS

Standard Nautilus Balusters (shown, right) are available as 1.5", 2", 2.5", 3.5" or 5" widths. Custom balusters are available at all widths and heights.

Select a Newel Post Wrap

STEP 2

Size & Style

- NEWEL6.5 Fits 5" Rail or Smaller
- Millwork Newels Newel Wdith Should Be At Least 1" Larger Than Rail Width. See page 33 for Millwork Newel Sizes and Styles

Select an Infill

Square Baluster (A)

Chamfered Baluster (B)

T1 Turned Baluster (C)

T2 Turned Baluster (D)

Square Decorative Panel

STEP 5

Select Desired Gate(s) and or Upgrades (If Any)

- Single Gate
- Double Gate
- Deco Panels
- Radius Rail
- Glass Balusters





NAUTILUS RS10500 Works with 2-1/2" Baluster or Smaller



NAUTILUS RS20700

All Nautilus Rail	6' Length	8' Length	10' Length	12' Length
36" Height	~	~	~	×
42" Height	~	~	~	×
Stair Application	~	~	×	×





Works with 3-1/2" Baluster or Smaller

GET AN INSTANT QUOTE! INTEXMILLWORK.COM









NAUTILUS RS50500

Available in Gooseneck; Works with 2-1/2" Baluster or Smaller



Works with 3-1/2" Baluster or Smaller

NAUTILUS RS20800

Works with 5" Baluster or Smaller

Background Image: Nautilus Custom Milled Radius Rail Profile and Custom Turned Balusters

Deco Panels **RAIL UPGRADES**



Decorative Panel Common Features

All Deco Panel styles are available for all rail systems

All Deco Panel styles are available for level, stair & radius rails

All Deco Panel styles are available as 36" or 42" heights

Deco Panels for Liberty, Hampton, Providence & Dartmouth come pre-finished and do not require paint, but can be painted with a light reflective value (LRV) of 55 or greater. Nautilus Deco Panels require paint.

Square Decorative Panel Standard Styles

Visit intexmillwork.com for more Standard Square Deco Panel Styles





DIAMOND WEB



PRAIRIE

RAIL UPGRADES

Deco Panels







The following page contains examples of fully-built rail sections featuring various Standard Deco Panels, Newel Wraps, Newel Caps, and Trim Rings. Please note all Deco Panels, Newel Wraps, Newel Caps, and Trim Rings are sold separately from Rail Kits.





STONE HARBOR



DOUBLE DIAMOND WEB



VENTNOR

DOUBLE SQUARE WEB



WILDWOOD

DOUBLE TYPE 1

FULL INFILL DECO PANELS



7 MILE ISLAND



REFLECTING

All full section renders are shown with Hampton Flat and 5" Newel Wraps with NCPYRAMID Cap and NBTR Trim Ring



TYPE 3L

Custom Decorative Panels RAIL UPGRADES

Take Your Railing Project to the Next Level with Fully **Customized Decorative Panels!**

CUSTOM DECORATIVE PANELS

- Choose from our library of custom panels, or create your own
- Available as a Square, Narrow, Double or Full Infill panel in your custom design
- Available for level, stair and radius rail applications
- Compatible with all INTEX Rail Systems
- Custom Deco Panels for Liberty, Hampton, • Providence, & Dartmouth come pre-finished and do not require paint, but can be painted with a light reflective value (LRV) of 55 or greater. Nautilus Deco Panels require paint.



Scan to see our library of Custom Deco Panel examples!

FROM CONCEPT TO REALITY!

INTEX's Custom Deco Panel capabilities allow you to customize your rail infill design at an affordable price-point in a short lead-time. Pricing for Custom Deco Panels is simply based on thickness, width, and height, so the design flexibility is limitless!







Radius Rail RAIL UPGRADES

Guaranteed Custom Radius Fit with Our Radius Rail Template Kit!



CUSTOM IN-HOUSE RADIUS BENDS We are proud to offer in-house Radius Rail arcs from 6ft, 8ft, and 10ft rail spans. For stairway applications 6ft and 8ft spans are available

THE INTEX GUARANTEE

We guarantee the Radius Rail fit when the INTEX Radius Rail Template Kit is used. Call 856-293-4100 to order a Radius Rail Template Kit!

RADIUS	RAIL	AVAILABILITY	

	L	Level Rail			Stair Rail	
	6'	8'	10'	6'	8'	
Liberty	~	~	<	~	>	
Hampton	 	~	<	~	~	
Providence	~	~	<	~	~	
Dartmouth	~	~	>	~	~	
Nautilus	~	~	~	×	×	

SCAN FOR VIDEO GALLERY! Then scroll to the "Rail Templating" section for Radius Rail tutorials!

Background Image: Nautilus 20500 3-Line Rail with Radius Bends, Chamfered 2" Balusters, Recessed Panel Newel Wraps

Gates **RAIL UPGRADES**

Gates for INTEX Rail Systems are reinforced with welded aluminum frames, crafted with no open cells and are available using any of our standard rail profiles. Available as single or double gates. INTEX Gates cannot be trimmed or cut to size.





Dartmouth Gates

<u>.</u>



GATE HARDWARE

A. Face-Mount Hardware Application **B. In-Line Hardware Application**





Providence Gates





Black Balusters RAIL UPGRADES



GET AN INSTANT QUOTE! INTEXMILLWORK.COM

Drink Rail **RAIL UPGRADES**

Enjoy a Clean, Modern Look with Black, **Round Aluminum Balusters for Liberty Rail!**



FULL KITS FOR LIBERTY RAIL

- Modern infill with minimal visual obstruction
- Pre-routed for easy installation save time and money on labor!
- Kits compatible with both Liberty profiles
- Our 2 ³/₄" (RS60275) flat top profile is IRC Code R311.7.8.3 compliant for residential stair graspability
- Innovative Racking Stair detail that accommodates 18° to 40° Rake Angle
- Available as 6' or 8' kits at 36" and 42" heights for level or stair applications



Infill Kit. Best practice is for than the deck board.



MATCH OR ACCENT YOUR INTEX RAILING TO YOUR DECK OR PORCH WITH DRINK RAIL!

- No special-order hardware necessary!
- Works in conjunction with INTEX Flat Top rail profiles (see chart)
- Compatible with hardwoods, softwoods, composite, and PVC decking
- Works as an "over the post" or "post to post" design
- Deck board and fasteners supplied by others
- Give your guests a spacious surface on which to set their drinks!

	Drink Rail Availability
Liberty RS60275	
Liberty RS60350	
Hampton RS40350F	
Hampton RS40350P	×
Providence RS70	×
Dartmouth RS35350	
Dartmouth RS35400	×
Nautilus	×

3-Line & Mahogany Rail **RAIL UPGRADES**



Add an Extra Touch of Style and Character to Your Next Rail **Project!**

3-LINE RAIL KITS

3 Line Rail Kits include: Horizontal Rails, Structural Reinforcements, Square Balusters, Hardware and Crush Blocks.

	3-Line Rail Availability	FSC Mahogany Top Cap
Liberty	×	×
Hampton	~	~
Providence	~	×
Dartmouth	~	×
Nautilus	~	×

FSC CERTIFIED MAHOGANY RAIL CAPS

Adding the timeless detail of a FSC Certified Mahogany Cap will bring your railing project to the next level with the look and feel of real wood! FSC Certified Mahogany Cap Upgrades come ready for the finish of your choice, and are available in level rail, stair rail and radius applications for Hampton Rail (Flat or Peaked).





Glass Infills RAIL UPGRADES

Whether it's your waterfront destination, or your countryside escape -INTEX railing with glass balusters combine the beauty and sight lines of an unobstructed view, with the safety of traditional, vertical rail infill.

GLASS BALUSTERS

- Available in 6ft & 8ft lengths at 36" or 42" height, for level rail applications only
- Liberty top & bottom rails are pre-routed for a clean look with easy installation with no mechanical fastening or field routing
- Tempered Glass Balusters (1/4" x 3-5/8") come in packs of 5
- Enjoy a beautiful, unobstructed view that lets in a cool breeze!
- Hampton, Providence, Dartmouth, and Nautilus top and bottom rails are prepped for glass with a pre-applied routed channel

	Glass Baluster Availability
Liberty	~
Hampton	~
Providence	 ✓
Dartmouth	 Image: A second s
Nautilus	
	14/ MARCH

GLASS PANELS

- Enjoy a beautiful, unobstructred view!
- Available in 6ft & 8ft lengths for level and stair applications
- Glass Panel Rail Sets are designed to be used with 3/8" thick tempered glass panels, supplied by others
- · Glass Panel Rail Sets include heavy-duty aluminum reinforcements, clamps and associated hardware to mount 3/8" tempered glass panel (by others)
- Specs for 3rd party glass are available through your INTEX Millwork Sales Rep

	Glass Panel Availability
Liberty	×
Hampton	×
Providence	×
Dartmouth	//
Nautilus	×



GET AN INSTANT QUOTE! INTEXMILLWORK.COM





Dartmouth Peaked with Glass Pane

Background Image: Liberty RS60275 with Glass Balusters & 5" Newel Wraps

Louver Infill RAIL UPGRADES

INTEX Louver Infill is fast and easy to install, and available in pre-assembled panelized systems (i.e. triangular or round gable louver vents), or in knocked down systems to be trimmed and custom fit in the field (i.e. louver shower walls, privacy dividers, and rail infill). The perfect way to create privacy while maintaining airflow!

LOUVER RAIL INFILL

- Greater privacy while maintaining airflow to your deck
- Perfect solution to hiding visible air conditioner units and mechanicals while maintaining airflow
- Ships as knocked down, trimmable system at 6', 8', and 10' level sections only, for 36" or 42" high rail
- Custom heights also available
- Stair rail application does not come pre-routed, requires technical installation

	Louver Rail Infill Availability
Liberty	×
Providence	
Hampton	~
Dartmouth	 ✓
Nautilus	×

Louver Accessories

LOUVER GABLE VENTS

- Available as functional or decorative
- Available in custom sizes
- Available pre-assembled or knocked down system
- Custom shapes available include triangle, square, round, circle-top, etc.

LOUVER PRIVACY WALLS

- Greater privacy while maintaining airflow
- Ships as knocked down, trimmable system made to your desired width and height
- Ideal for built-in outdoor showers, multi-family partitions for privacy, mechanical enclosures







Horizontal Baluster Infill **RAIL UPGRADES**



HORIZONTAL BALUSTER INFILL

- Achieve a more contemporary or modern design without the cost, labor, or maintenance of alternative horizontal infills
- Ships as trimmable kits at 6', 8', and 10' level sections only, for 36" or 42" high rail
- Fast & easy installation due to pre-routed, vertical stanchions and easily trimmable sizes that create custom fits
- Custom heights also available
- Stair rail application does not come pre-routed, requires technical installation

	Horizontal Balusters Availability
Liberty	×
Hampton	✓
Providence	 ✓
Dartmouth	~
Nautilus	×



Transition Hardware RAIL UPGRADES



GET AN INSTANT QUOTE! INTEXMILLWORK.COM









Rail Transition Hardware allows for mid-span change of direction in ways only previously acheivable in wooden railing. When every detail matter, use Rail Transition Hardware to create the perfect installation!

A. IN-LINE RAIL ELEVATION CHANGE, ADJUSTABLE (NOT AT A NEWEL)

Adjustable by bending to the required angle, and will change the rail direction up or down.

B. LEVEL RAIL DIRECTION CHANGE 45° OR 90° (NOT AT A NEWEL)

Used to change rail direction within the span, while leaving the connections to the newel(s) flush.

		Liberty	Hampton	Providence	Dartmouth	Nautilus
Transition Hardw	are	 ✓ 	~	~	>	~











EXTRUDED 5" NEWELS

Our most common Newel Post, extruded as one piece and provides all the value of Cellular PVC at our lowest price point. Pairs with our most affordable cap and base trim.





INSTALLATION: <u>* * * *</u>

FABRICATED 5" & 6.5" NEWELS

Our mid-range Newel offering provides a hand-built newel with even sharper corners and a more traditional feel.



MILLWORK NEWELS

When only the finest will do, our Millwork Newels provide a variety of sizes and panel options for the greatest of curb appeal.





INSTALLATION:

CUSTOM NEWELS

When a standard dimension post just won't do, we can design a post to your exact specification.





MADE IN USA Section 03 NEWEL WRAPS

Common Features NEWEL & COLUMN WRAPS

Wrapped in stylish designs, newels and columns can do double duty as both vital architectural components and dramatic visual elements. Homes adorned with columns and newels convey a feeling of timeless strength and beauty.

ALL INTEX NEWEL & COLUMN WRAPS:

- 100% Cellular PVC
- Multiple panel styles available see page 35
- Used with existing structural members or used in stand-alone non-structural applications
- Split Pedestal options available
- Compatible with all INTEX Rail Systems
- Custom Newel and Column Wraps can be created to meet your design requirements or for historic restoration!
- Do not require paint, but can be painted with a light reflective value (LRV) of 55 or greater

Short Panel 4-Sides vs Line. **Corner, and End Newels**

- Short Panel 4-Side Newels are predominantly designed for Skirted Newel Caps (top rail dies into skirt, not newel face)
- Short Panel 4-Side can be used when the supplier doesn't know newel locations, but it is not recommended (inferior detail)
- Skirted Newel Caps cannot be used with Line, Corner, and End Newels
- Line, Corner, and End Newels are designed to give a full panel detail on non-rail side and flush panel face on rail side



How to Order **MILLWORK NEWEL WRAPS**

STEP 1

- **SELECT A STRUCTURAL** POST INTEX Structural Post Mount Wood Mount Hardware
- Concrete Mount Hardware
- Pressure Treated 4x4

Pressure Treated 6x6

STEP 4

SELECT A PANEL DETAIL

- 🔲 Flush
- Recessed
- Recessed with Inlay
- Raised
- Chamfered

See page 35 for Panel Styles





SELECT THE PROPER WIDTH

	6" (does not fit PT 6x6)
	8"
	10"
П	12"

Custom sizes also available

STEP 3

SELECT THE PROPER HEIGHT

- 40" (for 36" level rail)
- 46" (for 42" level rail)

50" (for bottom of stair)

Custom heights also available



SELECT THE PANEL ORIENTATIONS

- Panel 4 Side
- Line
- Corner
- End

Refer to drawings on previous page for more information

STEP 6

SELECT THE CAP STYLE & SIZE

Skirted Caps (For Panel 4 Side)

- NTC-S40 2 Tier Flat Cap with Skirt
- NPTC-S40 Pyramid Cap with Skirt

Non-Skirted Caps (For Line Corner End)

- D NTC 2 Tier Flat Cap
- NPTC
 Pyramid Cap

See page 36 for Newel Cap Styles

Structural Posts **NEWEL WRAPS**



Fabricated & Extruded **NEWEL WRAPS**

POST-MOUNT & HARDWARE

- Structural Post System requires 2 items to complete; NEWELPOST36/42 (Structural Post) along with one of the following:
 - NEWELMOUNT-W (through bolt detail) OR
 - NEWELMOUNT-C (lag bolt detail)
- Includes #10 x 1-1/2" Rail Attachment Screws for proper fastening of rail to post
- Works for 36" & 42" level rail heights, and 36" stair rail heights
- Includes Injection Molded Compression Shims for easy use with NEWEL5 & NEWEL5-EX
- Salt Spray tested for coastal application







Ring scenarios/compatibility for

Fabricated & Extruded Newel Wraps.



GET AN INSTANT QUOTE! INTEXMILLWORK.COM

NEWEL5-EX & NEWEL5

NBTR5-EX works with NEWEL5-EX **NBTR5** works with NEWEL5 NBTR6.5 works with NEWEL6.5

Lighted Newel Caps NEWEL WRAPS

EASY TO INSTALL SYSTEM

- Available for 5" Newel Wraps only
- Available as Flat Cap or Pyramid Cap
- System includes necessary "do it yourself" items to light each post:
- One transformer style & size (150 Watt; can support up to 40 newels)
- Timer & "Dusk to Dawn Photo Eye" sold separately

ENERGY EFFICIENT LIGHTING

- Down-lit system with LED recessed under the Newel Cap gives a clean look
- 80% energy efficient vs. traditional Newel Cap lighting systems
- Low voltage DC system means no permits or electrician required to install

	Lighted Newel Cap Availability			
Liberty	·			
Hampton	1 Jan the state			
Providence	and the last			
Dartmouth				
Nautilus	×			



GET AN INSTANT QUOTE! INTEXMILLWORK.COM

Background Image: Liberty RS60275 with Lighted Newel Caps & 5" Newel Wraps





Panel Styles MILLWORK NEWEL WRAPS

Millwork Newel Wraps are shipped fully assembled and ready to be incorporated with structural components – typically a 4 x 4, 6 x 6, or a Structural Post Mount – for installation.

BEFORE ORDERING, PLEASE NOTE:

40" Newel Wraps are for use with 36" level rails46" Newel Wraps are for use with 42" level rails50" Newel Wraps are for use at the bottom of stairs

INSIDE CLEARANCE

Newel Size	3/8" Flat	5/8" Raised, or Chamfered	Recessed or Recessed with Inlay
6"	5-1/4"	4-3/4"	4" at Center, 4-3/4" at Top & Bottom
8"	7-1/4"	6-3/4"	6" at Center, 6-3/4" at Top & Bottom
10"	9-1/4"	8-3/4"	8" at Center, 8-3/4" at Top & Bottom
12"	11-1/4"	10-3/4"	10" at Center, 10-3/4" at Top & Bottom

ACTUAL FOOTPRINT INCLUDES BASE WRAP





	Chamfered	Recessed	Recessed with Inlay	Raised
Line, Corner, or End Configuration	×	>	 	>

Liberty RS60275 with Lighted Newel Caps & 5" Newel Wraps









Newel Cap Styles **NEWEL WRAPS**

Choose From Our Selection of Standard Newel Caps or Design Your Own!



STANDARD NEWEL CAPS

- All standard Newel Caps are available as 6", 8", 10", and 12"
- Larger standard and custom sizes are available upon request
- All flat-top Newel Caps are available with Ball Finial



STANDARD NEWEL CAP STYLES: Flat 2 Tier Cap (NTC) Pyramidal Cap WM75 (NPTC) 2 Tier Plain Cap With Island Cap Pyramidal 287 Rake Trim (NTCR) (NICP) 3 Tier Cap Harbor Cap Pyramidal (NHC) WM75 Trim (NTTC) Triton Cap (NTCT) Harbor Cap Flat (NHCF) Pyramidal Cap With Skirt For 40" - 46" Newels Pyramidal Cap With Skirt For 50" Newels (NPTC-S50) (NPTC-S40) 3 Tier Cap With Skirt 3 Tier Cap With Skirt For 50" Newels (NTTC-S50) For 40" - 46" Newels (NTTC-S40) All flat top caps are available with ball finial; add "B" to the end of the

product code.

Custom Newels NEWEL WRAPS

We offer the ability to create Custom Newel wraps to meet your design requirements or for historic restoration!

CUSTOM NEWEL EXAMPLES

- Multi-Sided Newels
- Directional Newels
- Rectangular Newels
- Historical Recreations

EMAIL QUOTES@INTEXMILLWORK.COM TO **QUOTE YOUR CUSTOM NEWEL PROJECT!**







37 intexmillwork.com









EASY WRAPS

Whether you want the most affordable, Knocked Down, shaft only or the preassembled system including cap and base, Easy Wrap has a solution for covering your pressure treated or cedar posts.





nfill & Builde

BUILDER WRAPS

For a better alternative to Fiberglass columns, use our Builder Wrap at the architectural size of your choice.



INSTALLATION: ****



MILLWORK COLUMN WRAPS

When only the finest will do, our Millwork Column Wraps provide a variety of sizes and panel options for the greatest of curb appeal.





CUSTOM COLUMN WRAPS

Whether you need Tapered Columns, Pedestal Bases, or Multi-Sided Columns, our Custom Column Wraps can fit any design requirements.

PRICE RANGE: <u>ăăăă</u>





How to Order **COLUMN WRAPS**



STEP 3

Select the Proper Height

Custom Column Heights Also Available

08	' Column
----	----------

- 9' Column
- 10' Column
- 12' Column

STEP 6

Select Cap & Base Style

- Style H Standard (Included)
- Style A
- Style B 164 BC
- Style C 75 BED
- Style D 163 CROWN
- Style E 49 CROWN
- Style F WM97 CASING

Column Wraps KNOCKED DOWN EASY WRAPS



Our Most Affordable Column Wrap!

INTEX's Easy Wrap options are economical and easy to install. Save money on product and labor cost by using these innovative post wrap systems! Easy Wraps are compatible with and look great as an addition to all INTEX Rail profiles.

- 100% Cellular PVC
- Available widths: 4 ½", 5", 6 ½", 7", 8 ½" & 9"
- Available heights: 96", 108" and 120"
- · Arrives as 4 flat pieces (see image above) for quick & easy installation - no fasteners required!
- Cap and base sold separately
- · Does not require paint, but can be painted with a light reflective value (LRV) of 55 or greater





GET AN INSTANT QUOTE! INTEXMILLWORK.COM

Column Wraps **ASSEMBLED EASY WRAPS**

Fastest Column Installation on the Market!

- 100% Cellular PVC
- Available widths: 4 ½", 5", 6 ½", 7", 8 ½", & 9"
- Available heights: 96", 108", & 120"
- Includes 2 Trim Rings
- Arrives 3 sides assembled for quick & easy snaptogether installtion!
- Does not require paint, but can be painted with a light reflective value (LRV) of 55 or greater



GET AN INSTANT QUOTE! **FEXMILLWORK.COM**





41 intexmillwork.com

Panel Styles MILLWORK COLUMN WRAPS

Column Wraps are shipped in two halves and ready to be incorporated with structural components – typically a Pressure Treated 4 x 4, 6 x 6, or 8 x 8 – for installation.



Parametric Ordering COLUMN WRAPS

Parametric Ordering: Custom Column Wrap Sizes

If a standard Column Wrap width or height doesn't work for your application, simply chose a Column Panel Style (page 42) and measure & supply the WIDTH & HEIGHT (as pictured, right) to our team!

Parametric Design allows you to order detailed Column Wraps at custom widths and heights at a competitive price point and a standard lead time. Since standard height detailed column wraps cannot be effectively trimmed to height in the field for non-standard height openings, parametric design allows you to maintain architectural integrity without compromising!

EMAIL QUOTES@INTEXMILLWORK.COM TO QUOTE YOUR CUSTOM COLUMN SIZES!

Panel 4-Side vs. Split Panel 4-Side vs. Line, Corner, End

- Panel 4-Side Wrap does not make accomodation for rail mounting
- Split Panel 4-Side Wrap has check rail for rail mounting (standard check rail height to accomodate 36" rail, all other heights must be custom quoted)
- Line, Corner, & End Column Wraps have full panel on non-rail side, and no panel on rail side

COLUMN WRAPS

- Standard widths: 8", 10", & 12"
- Standard heights: 8', 9', 10', & 12'
- Custom widths & heights also available



GET AN INSTANT QUOTE! INTEXMILLWORK.COM

Column Size	Raised or Chamfered	Recessed or Recessed with Inlay
8"	6-3/4"	6" at Center, 6-3/4" at Top & Bottom
10"	8-3/4"	8" at Center, 8-3/4" at Top & Bottom
12"	10-3/4"	10" at Center, 10-3/4" at Top & Bottom





intexmillwork.com 44

Custom Columns COLUMN WRAPS

TAPERED COLUMNS

- Flush, Recessed Panel, Recessed With Inlay, Raised Panel, Chamfered, and custom designs available
- Available in 12"-8", 16"-12", 20" 14", and custom widths
- Available in 5', 6', 8', and custom heights
- WM75 cap & base included
- Upgraded and custom caps & bases available
- Ships in "L-Halves" and includes adhesive
- Do not require paint, but can be painted with a light reflective value (LRV) of 55 or greater
- Parametric Ordering Tapered Column Sizes: Choose a panel style, measure & supply the TOP & BOTTOM WIDTHS, and HEIGHT (shown, right image) to our team!

PEDESTAL BASE

- Available in 12", 16", 20" or custom sizes
- Standard heights available at 40" or 46"
- Flush, Recessed Panel, Recessed With Inlay, Raised Panel, Chamfered, and custom designs available

CUSTOM COLUMNS

We offer the ability to create Custom Column Wraps to meet your design requirements or for historic restoration!

- Multi-Sided Column Wraps
- Directional Column Wraps
- 1/3 2/3 Entasis Column Wraps

EMAIL QUOTES@INTEXMILLWORK.COM TO QUOTE YOUR CUSTOM COLUMN WRAP PROJECT!

















Custom 3-Beam Pergola with Recessed Panel Column Wraps



CLASSIC PERGOLAS

Classic Pergolas come in standard sizes to give your project all the architectural charm of a traditional wooden pergola, at the lowest cost.



PRICE RANGE:

S S S S



Deluxe Pegolas offer the perfect blend of value and customization for your next project. When stock sizes just won't do, choose Deluxe.





PREMIUM PERGOLAS

If you need industry leading engineering and spans, our Premium Pergolas are the perfect choice for you.





CUSTOM PERGOLAS

Do you have an original pergola design you want to make a reality? Let our Custom Pergolas bring your dreams to life.





Section 04 PERGOLA SYSTEMS

Common Features PERGOLA SYTEMS

Freestanding in a garden, gracing a patio or surrounding a hot tub, a pergola creates a dramatic architectural statement. INTEX Pergola Systems are as strong as they are beautiful, and designed for a secure, easy installation. Enjoy your new outdoor oasis in as little as a weekend.

ALL INTEX PERGOLA SYSTEMS:

- Low maintenance 100% Cellular PVC with aluminum-reinforced core
- Aluminum core and brackets will not rust, bleed, or corrode
- Complete bracket system for every installation with Stainless Steel screws
- Economical systems available
- Multiple Tail Styles to choose from
- Do not require paint, but can be painted with a light reflective value (LRV) of 55 or greater

Background Image: Two Premium Pergolas

How to Order **PERGOLA SYTEMS**

STEP 1

Select a Pergola Line

- Classic Pergola
- Deluxe Pergola
- Premium Pergola
- Custom Pergola

STEP 4

Select Lath Detail





2" x 4" Hollow Purlin with Tails <u>ăăăă</u>



Pergola Systems Comparison	Classic	Deluxe	Premium	Custom*
Rafter Size Options	1	1	2	3
Beam Size Options	1	1	4	4
Maximum Clear Spans	14′ x 14′	14′ x 14′	20' x 20'	20' x 20'
Design Strength	tl	11		
Custom Lengths	×	~	~	~
Custom Design Options	×	~	~	~
Standard Tail Designs	4	6	9	9
Custom Tail Designs	×	×	~	~
Engineered to International Building Code Requirements	×	×	~	~
Bend to Radius	×	×	×	~
Price	<u>s</u> s s s	<u>s</u> s s s	<u>š</u> š š š	<u>.</u>

*INTEX Millwork Solutions Custom Pergola System is available for projects that need to go beyond the limits of our Premium Pergola System.



STEP 2 & STEP 3

Select an Orientation, Then Specify Key Dimensions



Step 3: Specify All 3 Dimensions A. Beam Span B. Rafter Span

Attached To A Ledger



C. Rafter On-Center Spacing

STEP 5

Select Column Detail & **Column Count**

All INTEX Pergolas Require A Footing Detail For Structural Purposes, See Installation Instructions For Details



Pressue Treated 6x6 with INTEX Column Wrap



Pressue Treated 8x8 with INTEX Column Wrap

Structural Fiberglass Column by Others

Number of Columns: See Page 42 For Column Styles



GET AN INSTANT QUOTE! INTEXMILLWORK.COM STEP 6

Select a Tail Design



Custom Tail Design

Classic Series PERGOLA SYSTEMS



All the Architectural Charm of a Traditional Wooden Pergola, at **Our Lowest Cost!**

The Classic Kit is an economical pergola system designed for small backyard projects. The Classic Kit gives you a quick off-the-shelf solution for your freestanding or attached to structure pergola project.

- One rafter size
- One beam size
- Standard sizes only (8ft, 10ft, 12ft & 14ft post centers)
- Lightweight design
- Economically priced
- Clear spans up to 14' x 14'
- Modest rafter and beam profile
- Four standard tail styles

CLASSIC PERGOLA TAIL STYLES





Deluxe Series PERGOLA SYSTEMS



A High Quality Pergola System With Options That Can Be Customized

The Deluxe Pergola is the perfect finishing touch for your outdoor living space!

- One rafter size
- One beam size
- Custom lengths and multiple design options
- Larger dimension components for a traditional wood frame look
- Moderately priced
- Clear spans up to 14' x 14'
- Larger rafter & beam profile than classic kit
- Six standard tail styles

DELUXE PERGOLA TAIL STYLES



Premium Series PERGOLA SYSTEMS



The Premium Pergola Allows You To Customize Your Pergola To Meet Your Project Specifications!

The substantial design of the Premium Pergola System is engineered to meet international building code for commercial and residential applications.

- Two rafter sizes
- Two beam sizes
- Custom lengths and multiple design options
- Larger rafter and beam profile than deluxe
- Engineered to meet the requirements of the international building code for 1" ice load, 120 mph wind up-lift (not all photos are enginereed pergolas)
- Clear spans up to 20' x 20'
- Heavy duty engineered design
- Nine standard tail syles with the option to create a custom tail design

PREMIUM PERGOLA TAIL STYLES



Custom PERGOLA SYSTEMS



Let Our Custom Pergola Systems Bring Your Outdoor Living Dreams

- Custom layouts and footprints available
- Clear spans up to 20' x 20'
- Standard and custom beam, rafter, and lath sizes available
- Radius beams & rafters
- Arched rafters

To Life!

- Gable rafters
- Nine standard tail styles, or design your own custom tail profile!

EMAIL QUOTES@INTEXMILLWORK.COM TO QUOTE YOUR CUSTOM PERGOLA PROJECT!



CUSTOM PERGOLA TAIL STYLES

The INTEX Difference

INTEX Cellular PVC pergola components are sleeved over structural aluminum internal reinforcements to provide strength and durability. Truly the finishing touch that stands the test of time.





PERGOLA ENGINEERED & RECREATED BY INTEX



















Classic & Deluxe **TRELLIS SYSTEMS**

Boasting Fine Craftsman Style and Gorgeous Architectural Details



CLASSIC TRELLIS

- Fixed beam spans -8', 9' 10', 12', 14'
- 17 3/8" X 16 ½" x 3" bracket
- 2" X 5 ½" beam
- 1 ½" X 1 ½" x 17 3/8" purlins
- 4 tail styles (PT1 PT4)

DELUXE TRELLIS

- Custom beam spans up to 16'
- 29 5/8" X 30 x 5 ½" bracket
- 2 ½" X 7 3/16" beam
- 2" X 4" x 32" purlins
- 9 Tail styles (PT1 PT9), or create a custom tail design

AVAILABLE FOR CLASSIC OR DELUXE



AVAILABLE FOR DELUXE ONLY





How to Order **TRELLIS SYTEMS**

STEP 1

Select a Trellis Line

Classic Trellis

Deluxe Trellis

STEP 4

Select Purlin Detail

Available For Classic or Deluxe □ 1½" Square Available For Deluxe Only 2 x 4 Purlin with Tail







intexmillwork.com 56



ARCHITECTURAL MILLWORK

From Shower Enclosures to Mailbox Posts and Planter Boxes, we offer Landscape Millwork products in many designs, shapes and sizes. These elements will complement your yard or terrace with lasting charm!



SHUTTERS, HOLLOW BRACKETS & HOLLOW RAFTER TAILS

Every detail matters. Add the finishing touches to every area of your exterior with our Shutters, Hollow Brackets, and Hollow Rafter Tails - perfectly crafted to your specifications.



CUSTOM MILLWORK & MORE

Traditionally renovating a historic home used to be challenging due to custom woodworking which would rot with time. Now, we have a solution with custom PVC millwork.



WINDOW SURROUNDS, ENTRY **SYSTEMS, MOULDING & TRIM**

A home isn't finished until it's dressed in a style all its own. Accentuate your home's existing architecture by working with our Design Team to create custom designs or to meet historic renovation requirements.



Estate Series FENCE SYSTEMS



Add A Delicate Accent To A Garden, **Or Surround An Estate With Prominent Architectural Features!**

We combine prominent profile features with a simple droptogether installation with minimal on-site tool requirements and hidden fasteners.

- 100% Cellular PVC
- Available in a variety of styles and sizes (visit intexmillwork. com for more information)
- Reinforced aluminum core for strength & corrosion resistance
- Gates structurally reinforced with welded frame
- Aesthetically pleasing shadow lines
- Rackable or stepped for grade adjustment
- Low maintenance and easy to clean
- Does not require paint, but can be painted with a light reflective value (LRV) of 55 or greater

EXCEPTIONAL STRENGTH

- A. Aluminum reinforced top and bottom rails for fence sections.
- B. Two part post reinforcement for applications including gates, in-line reinforcement, and masonry or hard substrate mounting.
- C. Exploded view of structurally reinforced gate.



Shower Enclosures ARCHITECTURAL MILLWORK



Complete Your Outdoor Oasis With A Low-Maintenance Shower Kit!



SHOWER ENCLOSURE FEATURES

- 100% Cellular PVC
- Available in open or closed back
- Complete kits available
- Beaded (left image) or Flush (right image) detail wall panels
- Reinforced aluminum core for strength & corrosion resistance
- Low maintenance and easy to clean
- Do not require paint, but can be painted with a light reflective value (LRV) of 55 or greater

STANDARD SIZES

- 4' x 4' Open Back Kit
- 4' x 4' Closed Back Kit
- 4' x 8' Open Back Kit
- 4' x 8' Closed Back Kit

CUSTOM SHOWER ENCLOSURES

Custom layouts are available by request. Email guotes@intexmillwork.com

Boxes & Posts **ARCHITECTURAL MILLWORK**

WINDOW BOXES

- Standard heights available at 9" h x 11 ½" projection
- Standard widths available at 32", 36", 40"
- Standard panel details of Flush, Recessed, Recessed with Inlay, & V-Groove
- 3 standard styles of support brackets available
- Custom size boxes and support brackets available upon request - email quotes@intexmillwork.com

PLANTER BOXES

- Standard heights & depths available at 12", 14", 16", 18"
- Standard widths available at 30", 40", 46"
- Standard square planters available at 16" x 16" x 16" & 18" x 18" x 18"
- Standard panel details of Flush, Recessed, Recessed with Inlay, & V-Groove
- Custom size boxes available upon request email quotes@intexmillwork.com

DELUXE MAILBOX POSTS

- Deluxe 5" x 5" Mailbox Post includes Arm, Decorative Bracket, Mailbox Plate, & Post Cap
- Mailbox base adders available as Smooth Panel, Recessed Panel, & Recessed Panel with Inlay

DELUXE LAMP POSTS

- Deluxe 5" x 5" Lamp Post includes Flat Cap
- · Lamp post base adders available as Smooth Panel, Recessed Panel, & Recessed Panel with Inlay
- Cap includes a 3" diameter collar for mounting a lantern
- Cap & Post are pre-drilled for wiring
- Optional 24" sign arm available









Shutters ARCHITECTURAL

Engineered To Out-Perform Wood, Polypropylene, **Polyethylene And Aluminum Shutters**

RAISED

PANEL*



	7	
	7	



- Built to custom sizes
- Stainless Steel, powder-coated hardware system available
- Historically accurate
- Approved for historic restoration
- Termite proof; will not rot or warp
- Available in 11 pre-finished colors, or unfinished to be painted with a premium acrylic coating (including dark colors)
- Unfinished Shutters will need to be finished with a solar reflective paint before installation
- Louvered available with or without Horns *The rear detail of Beaded Raised Panel and Raised Panel is the same as the front of Flush Flat Panel.



4 Shutter Styles









D.





Optional Shutter Hardware Pack Includes The Following:

- A. 4 New York "L" Style Hinges, 2 Lefts, 2 Rights; Mounting Screws Included
- B. 2 Shutter Dogs with Mounting Brackets 1 Left, 1 Right; Mounting Screws Included
- C. 2 New York Style Mid Hinges; Mounting Screws Included
- D. 6 Pintels; Mounting Screws Included
- E. 6 Pintel Shims; Mounting Screws Included

Choose From 11 Pre-Finished Colors!



The above color swatches are digitally printed representations and may not be 100% accurate. Please request a paint swatch card from your INTEX Dealer! Shutters can be supplied unfinished to be painted with a Premium Acrylic Coating.

Background Image: Louver Shutters with Optional Hardware, Pre-Finished in Black

Hollow Brackets **ARCHITECTURAL MILLWORK**

Parametric Ordering Information

STEP 1 Select one of our four standard designs

STEP 2 Measure the WIDTH needed

STEP 3 Measure the **PROJECTION** needed

STEP 4 Measure the **HEIGHT** needed



Hollow Rafters Tails **ARCHITECTURAL MILLWORK**

Parametric Ordering Information



Hollow Brackets - 4 Standard Styles



CUSTOM STYLES ARE AVAILABLE BY REQUEST EMAIL QUOTES@INTEXMILLWORK.COM



Hollow Rafter Tails - Lightweight Design with 9 Styles!

- Laminated end-detail and a PVC skin on all tail faces eliminates exposed, open cells
- Hollow design allows for easy installation with blocking or covering existing rafter tails
- Beautiful, sharp lines
- Custom sizes & patterns available by request
- Do not require paint, but can be painted with a light reflective value (LRV) of 55 or greater

STANDARD TAIL STYLES:



STEP 1 Select one of our nine standard designs

STEP 2 Measure the WIDTH needed

STEP 3 Measure the **HEIGHT** needed

STEP 4 Measure the LENGTH needed



Custom Millwork & More ADDITIONAL CAPABILITIES

Our Team Of Skilled Craftsmen Offer Limitless **Custom Millwork Design Options!**



From intricate details to innovative finishing touches, INTEX PVC custom millwork is created using advanced CAD design technologies, state-of-the-art fabrication equipment and hand-crafted techniques once reserved only for wood.

CRAFTSMANSHIP THAT YOU CAN TRUST

Architects and builders rely on INTEX's strengths in both traditional workmanship and engineering technology to craft intricately detailed, high-quality millwork for distinctive homes and buildings.

CUSTOM MILLWORK CAPABILITIES:

- Produced to precise design specifications, fabricated to order, packaged securely so that product arrives damage free - ready for installation.
- Custom replication of brackets and other architectural details allow for a more accurate restoration.
- · Custom lattice and panels provide a stylish sense of security.
- Custom railings and balusters per architect specs give a unique, elegant look.







Commercial Applications

OUR ENGINEERED PRODUCTS MEET INTERNATIONAL BUILDING CODE

You can count on the unsurpassed performance of INTEX's engineered systems. Innovative technology and fine craftsmen give INTEX the ability to meet any design specification. The easy to install INTEX "system" approach will also lower your construction labor costs.

Historic Restorations

THE ABILITY TO MATCH EXACT **DETAILS & CRAFTSMANSHIP OF THE ORIGINAL MILLWORK**

The experienced skilled craftsmen at INTEX have the knowledge and creativity to protect and preserve your home's architectural heritage. By using INTEX's talent and innovative technology, intricate ornamental detailing and exquisite finishing touches can be readily created.

Custom Millwork & More ADDITIONAL CAPABILITIES



BOSTON GUTTER SYSTEM

With the full aesthetic appeal of wood, but the lowmaintenance of extruded Cellular PVC, our Boston Gutter System brings another level of sophisticated detail to your home. Available in 10 and 20 foot lengths, and radius bends up to 18 feet in length, your Boston Gutter System is crafted to perfectly fit your needs. As with any gutter system, it is important to clean debris from the gutter periodically to ensure proper drainage.



WINDOW SURROUNDS

A home isn't finished until it's dressed in a style all its own. Accentuate your home's existing architecture by using window surrounds. INTEX Window Surrounds can be manufactured to fit any shape or size window. With our large selection of frame, crown and sill options, INTEX surrounds save time and eliminate scrap connected with building surrounds on-site.



MOULDINGS & TRIM

We fabricate mouldings from solid, cellular PVC boards using the same techniques as mills providing wood mouldings. Mouldings are milled to standard industry patterns, and sanded, primed and ready for installation. Custom milling is available to match existing profiles, or to satisfy any design specification required for your project!



ENTRY SYSTEMS

Transform a typical front door into a 'welcome home' statement. With choices of trim styles, headers and pediments, there are over 100 combinations - just right for any house style. Custom Entry Systems can be created for Historic Restoration, or for your unique style. Our trained staff will even assist on-site for complex door configurations!

For the Architect **EDUCATION & MORE**

RESOURCES

We understand how important your reputation is – every structure you build needs to meet your clients' standards, and with INTEX Millwork Solutions, you can rest assured that your projects will exceed expectations.

intexmillwork.com hosts important architectural resources, from DWG and PDF drawings, to Revit downloads, to our comprehensive installation instructions, and more. Every detail is considered to make your job easier!

AIA & LA CES CONTINUING EDUCATION

INTEX Millwork Solutions recognizes the importance of continuing education in architecture and is very proud to be a registered provider with AIA.org and ASLA.org (LA CES).

Our Sales Reps are happy to host a class at your office, at our facility in Mays Landing, NJ, or via video conferencing.

Classes (including our accredited Plant Tour) hosted at our facility will enjoy a tour of our new shop floor and a detailed overview of our brand new show room.

Available AIA and LA CES Courses

INTEXTOUR: INTEX Millwork Plant Tour | 2 AIA LU Students will experience a detailed, inside look at the manufacturing process of INTEX Millwork Products. They will see first hand the entire production process, from raw materials to finishing, engineering, estimating, packaging and more.

INTEX20150126: Understanding the Benefits of Cellular PVC Rails and Pergolas | 1 AIA LU | 1 LA CES PDH Students will gain a basic understanding of the benefits of specifying cellular PVC (Poly Vinyl Chloride) railing systems, pergolas and gutters for residential and commercial construction projects. Traditional materials like wood, vinyl, and composite materials have been the standard choices available for years, but these materials pose several challenges in aesthetics, durability, affordability, and limited design options.

INTEX-POOLCODE: Swimming Pool Enclosure Code Requirements Explained | 1 AIA LU, HSW | 1 LA CES PDH Students will learn the details of swimming pool enclosure code requirements to ensure specific design and materials meet standard building code criteria for barrier and access requirements.

INTEX2020HSW: Hand Rail Code Requirements & Design Considerations | 1 AIA LU, HSW Students will learn the details of railing systems code requirements and testing to ensure they meet IRC and IBC Building Codes. Integrating design elements based on materials and span limits into the structure architecture.





FREQUENTLY ASKED QUESTIONS

CAN INTEX PRODUCTS BE PAINTED?

Yes, due to the inherent expansion and contraction characteristics of PVC, INTEX's PVC millwork products should only be painted colors with an LRV (light reflective value) greater than 55.

HOW DO YOU CLEAN CELLULAR PVC?

Cleaning all INTEX products are easy and fast with most major household cleaners. For specific recommendations and instructions, visit intexmillwork.com. Harsh cleaners with glycol ethers or ethanol type solvents and/or isopropyl alcohol are not recommended.

HOW LONG DO INTEX PRODUCTS LAST?

INTEX products are designed to last in the harshest of environments. For this reason, all INTEX Millwork Solutions products carry a lifetime limited warranty.

WHERE CAN I PURCHASE INTEX PRODUCTS?

Visit intexmillwork.com to find an authorized dealer near you.



INTEX Millwork Solutions, LLC

45 Mill Street • Mays Landing, NJ 08330 (856) 293-4100 intexmillwork.com | #intexmillwork

©2023-2024, INTEX Millwork Solutions, LLC 2023-1 Printing

Front Cover Image: Hampton Peaked with Flat Panel Newel & Column Wraps

Product Catalog